

Artikelnummer:

152000-31

Produktbezeichnung:

Dachantenne AM/FM 56° Stabneigung 12V extern/Phantom

Technische Spezifikationen:

Empfangsarten: AM/FM

Anschluss:

AM/FM: Fakra Z(m) wasserblau / L = 40 cm

Speisespannung extern: Rundstecker(m) / L = 37 cm

Frequenzbereich:

AM: 150 kHz – 1710 kHz

FM: 87,5 MHz – 108 MHz

Spannungsversorgung:

AM/FM: +12V extern

AM/FM: +12V Phantomspeisung

Zugewinn:

AM: +10 db

FM: + 18db

Stromaufnahme:

AM/FM: 33 mA max

Montage:

Einbauort: Dach hinten

Bohrung rund: 15 mm

Bohrung quadrat: 14,5 mm x 14,5 mm

Stablänge: 41 cm

Stabneigung: 56°

Stabart: 16 V

Stabgewinde: M5

Maße:

Gesamthöhe: 37 cm

Antennenfuß: L = 58 mm / B = 40 mm / H = 45 mm

Antennenfuß Gewinde: M5

Produktfoto:



Part number:

152000-31

Product Name:

Roof antenna AM/FM 56° inclination 12V external/phantom

Technical specifications:

Reception Types: AM/FM

Connections:

AM/FM: Fakra Z(m) waterblue / L = 40 cm

power supply external: bullet disconnect(m) / L = 37 cm

Frequency Range:

AM: 150 kHz – 1710 kHz

FM: 87,5 MHz – 108 MHz

Power Supply:

AM/FM: +12V external

AM/FM: +12V phantom power

Gain:

AM: +10 db

FM: +18 db

Power consumption:

AM / FM: 33 mA max

Installation:

Installation point: roof rear

Drill hole round: 15 mm

Drill hole square: 14,5 mm x 14,5 mm

Rod length: 41 cm

Rod inclination: 56°

Rod type: 16 V

Rod thread: M5

Dimensions:

Total high: 37 cm

Antenna socket: L = 58 mm / W = 40 mm / H = 45 mm

Antenna socket thread: M5

Product photo:

