

## **Artikelnummer:**

152000-54

## **Produktbezeichnung:**

Dachantenne AM/FM 0°>180° Stabneigung flexibel 14cm

## **Technische Spezifikationen:**

Empfangsarten: AM/FM

### **Anschluss:**

AM/FM: DIN(m) / 135 cm

### **Frequenzbereich:**

AM: 150 kHz – 1710 kHz

FM: 87,5 MHz - 108 MHz

### **Spannungsversorgung:**

AM/FM: passiv

### **Montage:**

Einbauort: Kotflügel / A-Säule / Dach (vorne) / universal

Bohrung: A Ø 8 mm

Stablänge: 14 cm

Stabneigung: 0° - 180°

Stabart: Flexibel glatt

Stabgewinde: M6

Stabadapter: M6>M6 / M6>M5

### **Maße:**

Antennenfuß: Ø 35 cm / H = 51 cm

Antennenfuß Gewinde: M6

## Produktfoto:



**Part number:**

152000-54

**Product Name:**

Roof antenna AM/FM 0°>180° inclination flexible 14cm

**Technical specifications:**

Reception Types: AM/FM

**Connections:**

AM/FM: DIN(m) / 135 cm

**Frequency Range:**

AM: 150 kHz – 1710 kHz

FM: 87,5 MHz – 108 MHz

**Power consumption:**

AM/FM: passiv

**Installation:**

Installation point: roof (front) / fender / A-pillar / universal

Drill hole: A Ø 8 mm

Rod length: 14 cm

Rod inclination: 0° - 180°

Rod type: flexibel plain

Rod thread: M6

Rod adapter: M6>M6 / M6>M5

**Dimensions:**

Antenna socket: Ø 15 cm / H max. = 51 cm

Antenna socket thread: M6

**Product photo:**

